INTERNET PROGRAMMING (JAVASCRIPT)

Date: 27/01/2021

CLASS TEST

FALSE

* Required Enter Your Roll No: * Enter Your Division * Check all that apply. TYBCA 1 TYBCA 2 **ENTER YOUR FULL NAME: *** 1. Java Script is a type of programming which can add interactivity and functions to a web site * 1 point Mark only one oval. **TRUE**

5.	2. Java script is a *	1 point
	Mark only one oval.	
	Client Side Scripting language	
	Sever Slide Scripting language	
	Low Level Language	
	Assembly Language	
6.	3. Variable names are case sensitive *	1 point
	Mark only one oval.	
	TRUE	
	FALSE	
7.	4. You declare JavaScript variables with the keyword: *	1 point
	Mark only one oval.	
	varchar	
	var	
	dim	
	char	

8.	5. Logical Operator is described as*	1 point
	Mark only one oval.	
	AND	
	OR	
	○ NOT	
	EQUAL TO	
9.	6. An box is often used if you want to make sure information comes through to the user *	1 point
	Mark only one oval.	
	Alert	
	Confirm	
	Prompt	
	Decision	
10.	7. In Prompt Box If the user clicks "OK" the box returns the input value. If the user clicks "Cancel" the box returnsI. *	1 point
	Mark only one oval.	
	0	
	NULL	
	1	
	ERROR	

11.	8. The is used to insert apostrophes, new lines, quotes, and other special characters into a text string *	1 point
	Mark only one oval.	
	?	
12.	9. The command will break the loop and continue executing the code that follows after the loop (if any) *	1 point
	Mark only one oval.	
	Continue	
	Loop	
	Break	
	Else Case	
13.	10. var txt="Hello World!" document.write(txt.length) *	1 point
	Mark only one oval.	
	11	
	12	
	13	
	14	

14.	11. document.write(Math.round(0.60)) *	1 point
	Mark only one oval.	
	1	
	0.6	
15.	12. random() to return a random number between *	1 point
	Mark only one oval.	
	0 to 1	
	1 to 10	
	1 to 10	
	1 to 100	
16.	13. Function to return the number with the highest value of two specified numbers *	1 point
	Mark only one oval.	
	Floor()	
	Ceiling()	
	Max()	
	<pre>Min()</pre>	

17.	14. Boolean Values are *	1 point
	Mark only one oval.	
	TRUE	
	FALSE	
	TRUE and FALSE	
	RIGHT and WRONG	
18.	15. The event occurs when an object loses focus *	1 point
	Mark only one oval.	
	Onblur	
	Onfocus	
	Onload	
	Onunload	
19.	16. Statement allows you to test a block of code for errors *	1 point
	Mark only one oval.	
	If Else	
	Try Catch	
	Switch Endcase	
	All of the above	

20.	17. % (Modulus) is Operator *	1 point
	Mark only one oval.	
	Assignment	
	Relational	
	Arithmetic	
	Option 4	
21.	18. In JavaScript the x===y statement implies that: *	1 point
	Mark only one oval.	
	Both x and y are equal in value, type and reference address as well.	
	Both are x and y are equal in value only.	
	Both are equal in the value and data type.	
	Both are not same at all.	
22.	19. Choose the correct snippet from the following to check if the variable "a" is not equal the "NULL": *	1 point
	Mark only one oval.	
	if(a!==null)	
	if (a!)	
	if(a!null)	
	if(a!=null)	

23.	20. Which one of the following is an ternary (Conditional) operator: *	1 point
	Mark only one oval.	
	?	
	+	
24.	21. Which of the following is correct Statement of WHILE Loop Start ? *	1 point
	Mark only one oval.	
	while (i <= 10)	
	while (i <= 10; i++)	
	while i = 1 to 10	
	None of These	
25.	22.Which one of the following symbol is used for creating comments in the javascript: *	1 point
	Mark only one oval.	
	**/	

26.		ller is called with three arguments: msg (error message), url (the url of the page that caused the error) and the error occurred). *	1 point
	Mark only one oval.		
	Onerror		
	Throw		
	Try Catch		
	Onclick		
27.	24. An	is an image with clickable regions. *	1 point
	Mark only one oval.		
	image-map		
	Hyperlink		
	Animation		
	Validation		
28.	25. A collection of	elements of the same data type which may either in order or not, is called *	1 point
	Mark only one oval.		
	String		
	Array		
	Serialized Obje	ect	
	Object		

This content is neither created nor endorsed by Google.

Google Forms